

BriteCore

Event Reference

42 events · version 2610.2
Generated 2026-10-06

Contents

Billing	4
BillingHandledEvent	4
Claims	5
AuthorityLimitExceededEvent	5
ClaimChangedEvent	5
ClaimPartyAddedEvent	6
ClaimStatusEvent	6
ClaimSubmittedEvent	7
File	8
FileAttachedEvent	8
Payments	9
NSFPaymentEvent	9
PaymentVoidedEvent	9
ReturnedPremiumEvent	10
Policies	11
InvoiceCreatedEvent	11
InvoiceDeletedEvent	11
InvoiceUpdatedEvent	11
NonPaySubmittedEvent	12
PaymentFailedEvent	12
PaymentMadeEvent	13
PolicyActiveEvent	14
PolicyBinderActiveEvent	14
PolicyCancellationInitiatedEvent	15
PolicyCancelledEvent	16
PolicyEndorsedEvent	16
PolicyIssuedEvent	17
PolicyReinstatedEvent	17
PolicyRenewalApproachingEvent	18
PolicyRenewedEvent	19
PolicyRewriteStartEvent	19
RevisionArchivedEvent	20

Property	21
PropertyInspectionResponseEvent	21
Quotes	22
ApplicationSubmittedEvent	22
QuoteCreatedEvent	22
QuoteDownpayedEvent	22
QuoteRatedEvent	23
QuoteTurnedIntoApplicationEvent	23
ReferredToUnderwritingEvent	24
STPAnalysisExecutedEvent	24
Subjectivities	25
SubjectivityCreatedEvent	25
SubjectivityExpiredEvent	25
SubjectivityUpdatedEvent	26
Task	28
TaskAssigneeChangedEvent	28
TaskCompletedEvent	28
TaskCreatedEvent	29
TaskDueDatePassedEvent	30

Billing

1 event emitted from the **billing** domain.

BillingHandledEvent

Adapter that wraps a BillingEvent DTO and routes it through the event emitter framework. Cross-term events emitted by billing state-machine handlers are published via ``BillingHandledEvent(pending\_event).emit()`` so they can be processed asynchronously through Celery when available.

Topic	Schema ID	Version
billing.billing_handled	BritecoreBillingEvent.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreBillingEvent.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

Claims

5 events emitted from the **claims** domain.

AuthorityLimitExceededEvent

Event triggered when a payment or reserve exceeds authority limits.

Topic	Schema ID	Version
claims.authority_limit_exceeded	BritecoreAuthorityLimitExceeded.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreAuthorityLimitExceeded.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
claim_id	string	Yes	
exposure_id	string	Yes	
broken_limits	string	Yes	
admin_data	string	Yes	
transaction_type	string	Yes	
transaction_details	string	Yes	
user_id	string	Yes	

ClaimChangedEvent

Event emitted by BriteCore (BritecoreClaimChanged.v1).

Topic	Schema ID	Version
claims.claim_changed	BritecoreClaimChanged.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreClaimChanged.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		

Field	Type	Req.	Description
data	object	Yes	
claim_id	string	Yes	
field_name	string	Yes	
old_value	string	Yes	

ClaimPartyAddedEvent

Event emitted by BriteCore (BritecoreClaimPartyAdded.v1).

Topic	Schema ID	Version
claims.claim_party_added	BritecoreClaimPartyAdded.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreClaimPartyAdded.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
claim_id	string	Yes	
claim_number	string	Yes	
contact_id	string	Yes	
role	string	Yes	
party_type	string	Yes	

ClaimStatusEvent

Event emitted by BriteCore (BritecoreClaimSubmitted.v1).

Topic	Schema ID	Version
claims.claim_status	BritecoreClaimSubmitted.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreClaimSubmitted.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		

Field	Type	Req.	Description
external_system_reference	string		
data	object	Yes	

ClaimSubmittedEvent

Event emitted by BriteCore (BritecoreClaimSubmitted.v1).

Topic	Schema ID	Version
claims.claim_submitted	BritecoreClaimSubmitted.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreClaimSubmitted.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

File

1 event emitted from the **file** domain.

FileAttachedEvent

Event emitted by BriteCore (BritecoreFileAttached.v1).

Topic	Schema ID	Version
file.file_attached	BritecoreFileAttached.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreFileAttached.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

Payments

3 events emitted from the **payments** domain.

NSFPaymentEvent

Event emitted by BriteCore (BritecoreNSFPayment.v1).

Topic	Schema ID	Version
payments.n_s_f_payment	BritecoreNSFPayment.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreNSFPayment.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
payment_id	integer	Yes	
payment_date	string (date-time)	Yes	
vendor_reference_id	integer	Yes	
payment_confirmation_number	string	Yes	
payment_status	string	Yes	
contact_id	integer		
contact_external_system_ref erence	string		
revision_external_system_re ference	string		

PaymentVoidedEvent

Event emitted by BriteCore (BritecorePaymentVoided.v1).

Topic	Schema ID	Version
payments.payment_voided	BritecorePaymentVoided.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePaymentVoided.v1".
version	string, const	Yes	Schema version. Always "1.0.0".

Field	Type	Req.	Description
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
generated_by	string	Yes	
payment_id	integer	Yes	
payment_date	string (date-time)	Yes	
description	string	Yes	
date_voided	string (date-time)	Yes	

ReturnedPremiumEvent

Event emitted by BriteCore (BritecoreReturnedPremium.v1).

Topic	Schema ID	Version
payments.returned_premium	BritecoreReturnedPremium.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreReturnedPremium.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
return_premium_id	integer	Yes	
generated_by	string	Yes	
payment_amount	string	Yes	
transaction_date_time	string (date-time)	Yes	
description	string	Yes	
cancellation_date	string (date-time)		
check_divert	string	Yes	
product_description	string	Yes	

Policies

17 events emitted from the **policies** domain.

InvoiceCreatedEvent

Event emitted by BriteCore (BritecoreInvoiceCreated.v1).

Topic	Schema ID	Version
policies.invoice_created	BritecoreInvoiceCreated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreInvoiceCreated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

InvoiceDeletedEvent

Event emitted by BriteCore (BritecoreInvoiceDeleted.v1).

Topic	Schema ID	Version
policies.invoice_deleted	BritecoreInvoiceDeleted.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreInvoiceDeleted.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

InvoiceUpdatedEvent

Event emitted by BriteCore (BritecoreInvoiceUpdated.v1).

Topic	Schema ID	Version
policies.invoice_updated	BritecoreInvoiceUpdated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreInvoiceUpdated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

NonPaySubmittedEvent

Event emitted by BriteCore (BritecoreNonPaySubmitted.v1).

Topic	Schema ID	Version
policies.non_pay_submitted	BritecoreNonPaySubmitted.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreNonPaySubmitted.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_start_date	string (date-time)		
policy_term_end_date	string (date-time)		
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
submission_date	string (date-time)	Yes	

PaymentFailedEvent

Event emitted by BriteCore (BritecorePaymentFailed.v1).

Topic	Schema ID	Version
-------	-----------	---------

policies.payment_failed	BritecorePaymentFailed.v1	1.0.0
-------------------------	---------------------------	-------

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePaymentFailed.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
policy_number	string	Yes	
payment_id	integer	Yes	
payment_amount	string		
payment_date	string (date-time)	Yes	
failure_reason	string	Yes	
vendor_reference_id	integer	Yes	
payment_confirmation_number	string	Yes	
payment_status	string	Yes	
contact_id	integer		
contact_external_system_ref erence	string		
revision_external_system_re ference	string		
invoices_changed	string	Yes	

PaymentMadeEvent

Event emitted by BriteCore (BritecorePaymentMade.v1).

Topic	Schema ID	Version
policies.payment_made	BritecorePaymentMade.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePaymentMade.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		

Field	Type	Req.	Description
data	object	Yes	
policy_id	integer	Yes	
policy_number	string	Yes	
payment_id	integer	Yes	
invoices_changed	string	Yes	
payment_date	string (date-time)	Yes	
vendor_reference_id	integer	Yes	
payment_confirmation_number	string	Yes	
payment_status	string	Yes	
contact_id	integer		
contact_external_system_reference	string		
revision_external_system_reference	string		

PolicyActiveEvent

Event emitted by BriteCore (BritecorePolicyActive.v1).

Topic	Schema ID	Version
policies.policy_active	BritecorePolicyActive.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyActive.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_start_date	string (date-time)		
policy_term_end_date	string (date-time)		
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
creation_date	string (date-time)	Yes	

PolicyBinderActiveEvent

Event emitted by BriteCore (BritecorePolicyBinderActive.v1).

Topic	Schema ID	Version
policies.policy_binder_active	BritecorePolicyBinderActive.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyBinderActive.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
creation_date	string (date-time)	Yes	
effective_date	string (date-time)	Yes	

PolicyCancellationInitiatedEvent

Event emitted by BriteCore (BritecorePolicyCancellationInitiated.v1).

Topic	Schema ID	Version
policies.policy_cancellation_initiated	BritecorePolicyCancellationInitiated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyCancellationInitiated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	

Field	Type	Req.	Description
policy_term_start_date	string (date-time)		
policy_term_end_date	string (date-time)		
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
cancellation_date	string (date-time)	Yes	
cancellation_reason	string	Yes	

PolicyCancelledEvent

Event emitted by BriteCore (BritecorePolicyCancelled.v1).

Topic	Schema ID	Version
policies.policy_cancelled	BritecorePolicyCancelled.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyCancelled.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_start_date	string (date-time)		
policy_term_end_date	string (date-time)		
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
cancellation_date	string (date-time)	Yes	
cancellation_reason	string	Yes	

PolicyEndorsedEvent

Event emitted by BriteCore (BritecorePolicyEndorsed.v1).

Topic	Schema ID	Version
policies.policy_endorsed	BritecorePolicyEndorsed.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyEndorsed.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
premium_bearing	string	Yes	
written_premium_change	string	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_start_date	string (date-time)		
policy_term_end_date	string (date-time)		
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
endorsement_date	string (date-time)	Yes	
effective_date	string (date-time)	Yes	

PolicyIssuedEvent

Event emitted by BriteCore (BritecorePolicyIssued.v1).

Topic	Schema ID	Version
policies.policy_issued	BritecorePolicyIssued.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyIssued.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

PolicyReinstatedEvent

Event emitted by BriteCore (BritecorePolicyReinstated.v1).

Topic	Schema ID	Version
policies.policy_reinstated	BritecorePolicyReinstated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyReinstated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_start_date	string (date-time)		
policy_term_end_date	string (date-time)		
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
reinstatement_date	string (date-time)	Yes	

PolicyRenewalApproachingEvent

Event emitted by BriteCore (BritecorePolicyRenewalApproaching.v1).

Topic	Schema ID	Version
policies.policy_renewal_approaching	BritecorePolicyRenewalApproaching.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyRenewalApproaching.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	

Field	Type	Req.	Description
policy_term_id	integer	Yes	
policy_term_start_date	string (date-time)		
policy_term_end_date	string (date-time)		
policy_term_external_system_reference	string		
revision_external_system_reference	string	Yes	
days_to_expiration	string		

PolicyRenewedEvent

Event emitted by BriteCore (BritecorePolicyRenewed.v1).

Topic	Schema ID	Version
policies.policy_renewed	BritecorePolicyRenewed.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyRenewed.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_start_date	string (date-time)		
policy_term_end_date	string (date-time)		
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
renewal_date	string (date-time)	Yes	

PolicyRewriteStartEvent

Event emitted by BriteCore (BritecorePolicyRewriteStart.v1).

Topic	Schema ID	Version
policies.policy_rewrite_start	BritecorePolicyRewriteStart.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.

Field	Type	Req.	Description
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyRewriteStart.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
old_policy_id	integer	Yes	
old_revision_id	integer	Yes	
old_policy_number	string	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_number	string	Yes	
policy_term_id	integer	Yes	
policy_term_start_date	string (date-time)		
policy_term_end_date	string (date-time)		
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
rewrite_date	string (date-time)	Yes	
effective_date	string (date-time)	Yes	

RevisionArchivedEvent

Event emitted by BriteCore (BritecoreRevisionArchived.v1).

Topic	Schema ID	Version
policies.revision_archived	BritecoreRevisionArchived.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreRevisionArchived.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

Property

1 event emitted from the **property** domain.

PropertyInspectionResponseEvent

Event emitted by BriteCore (BritecorePropertyInspectionResponse.v1).

Topic	Schema ID	Version
property.property_inspection_response	BritecorePropertyInspectionResponse.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePropertyInspectionResponse.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

Quotes

7 events emitted from the **quotes** domain.

ApplicationSubmittedEvent

Event emitted by BriteCore (BritecoreApplicationSubmitted.v1).

Topic		Schema ID	Version
quotes.application_submitted		BritecoreApplicationSubmitted.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreApplicationSubmitted.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

QuoteCreatedEvent

Event emitted by BriteCore (BritecoreQuoteCreated.v1).

Topic		Schema ID	Version
quotes.quote_created		BritecoreQuoteCreated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreQuoteCreated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

QuoteDownpayedEvent

Event emitted by BriteCore (BritecoreQuoteDownpayed.v1).

Topic		Schema ID	Version
quotes.quote_downpayed		BritecoreQuoteDownpayed.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreQuoteDownpayed.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

QuoteRatedEvent

Event emitted by BriteCore (BritecoreQuoteRated.v1).

Topic	Schema ID	Version
quotes.quoteRated	BritecoreQuoteRated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreQuoteRated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

QuoteTurnedIntoApplicationEvent

Event emitted by BriteCore (BritecoreQuoteTurnedIntoApplication.v1).

Topic	Schema ID	Version
quotes.quoteTurnedIntoApplication	BritecoreQuoteTurnedIntoApplication.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreQuoteTurnedIntoApplication.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.

Field	Type	Req.	Description
id	string		
external_system_reference	string		
data	object	Yes	

ReferredToUnderwritingEvent

Event emitted by BriteCore (BritecoreReferredToUnderwriting.v1).

Topic	Schema ID	Version
quotes.referred_to_underwriting	BritecoreReferredToUnderwriting.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreReferredToUnderwriting.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

STPAnalysisExecutedEvent

Event emitted by BriteCore (BritecoreSTPAnalysisExecuted.v1).

Topic	Schema ID	Version
quotes.s_t_p_analysis_executed	BritecoreSTPAnalysisExecuted.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreSTPAnalysisExecuted.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

Subjectivities

3 events emitted from the **subjectivities** domain.

SubjectivityCreatedEvent

Event emitted by BriteCore (BritecoreSubjectivityCreated.v1).

Topic	Schema ID	Version
subjectivities.subjectivity_created	BritecoreSubjectivityCreated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreSubjectivityCreated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
subjectivity_id	integer	Yes	
subjectivity_definition_id	integer	Yes	
subjectivity_definition_name	string	Yes	
status	string	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
date_created	string (date-time)	Yes	

SubjectivityExpiredEvent

Event emitted by BriteCore (BritecoreSubjectivityExpired.v1).

Topic	Schema ID	Version
subjectivities.subjectivity_expired	BritecoreSubjectivityExpired.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreSubjectivityExpired.v1".

Field	Type	Req.	Description
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
subjectivity_id	integer	Yes	
subjectivity_definition_id	integer	Yes	
subjectivity_definition_name	string	Yes	
status	string	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
date_created	string (date-time)	Yes	
date_updated	string (date-time)	Yes	
due_date	string (date-time)	Yes	

SubjectivityUpdatedEvent

Event emitted by BriteCore (BritecoreSubjectivityUpdated.v1).

Topic	Schema ID	Version
subjectivities.subjectivity_updated	BritecoreSubjectivityUpdated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreSubjectivityUpdated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
subjectivity_id	integer	Yes	
subjectivity_definition_id	integer	Yes	
subjectivity_definition_name	string	Yes	
status	string	Yes	

Field	Type	Req.	Description
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
date_updated	string (date-time)	Yes	

Task

4 events emitted from the **task** domain.

TaskAssigneeChangedEvent

Event emitted when a task's assignee is changed. This allows external systems to react to assignee changes.

Topic	Schema ID	Version
task.task_assignee_changed	BritecoreTaskAssigneeChanged.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreTaskAssigneeChanged.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
task_id	integer	Yes	
task_number	integer	Yes	
task_type_id	integer		
task_type_name	string		
status	string	Yes	
priority	string	Yes	
description	string	Yes	
claim_id	integer		
policy_id	integer		
old_assignee_id	integer		
old_assignee_name	string		
old_assignee_email	string	Yes	
new_assignee_id	integer		
new_assignee_name	string		
new_assignee_email	string	Yes	

TaskCompletedEvent

Event emitted by BriteCore (BritecoreTaskCompleted.v1).

Topic	Schema ID	Version
task.task_completed	BritecoreTaskCompleted.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreTaskCompleted.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
completed_by_id	string	Yes	
task_id	integer	Yes	
task_number	integer	Yes	
task_type_id	integer	Yes	
task_type_name	string	Yes	
task_definition_id	integer	Yes	
policy_id	integer		
status	string	Yes	
priority	string	Yes	
description	string	Yes	
claim_id	integer		
claim_number	string		
assignee_id	integer		
assignee_name	string		
added_by_id	integer		
added_by_name	string		
date_added	string (date-time)	Yes	
due_date	string (date-time)		
completion_date	string (date-time)	Yes	
orkes_task_id	string	Yes	
task_outcome_id	integer		
task_outcome_key	string		
task_outcome_name	string		

TaskCreatedEvent

Event emitted by BriteCore (BritecoreTaskCreated.v1).

Topic	Schema ID	Version
task.task_created	BritecoreTaskCreated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.

Field	Type	Req.	Description
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreTaskCreated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
task_id	integer	Yes	
task_number	integer	Yes	
task_definition_id	integer		
task_type_name	string		
policy_id	integer		
claim_id	integer		
assignee_id	integer		
added_by_id	integer		
status	string	Yes	
priority	string	Yes	
description	string	Yes	
due_date	string (date-time)		
date_added	string (date-time)	Yes	

TaskDueDatePassedEvent

Event emitted by BriteCore (BritecoreTaskDueDatePassed.v1).

Topic	Schema ID	Version
task.task_due_date_passed	BritecoreTaskDueDatePassed.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreTaskDueDatePassed.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
task_id	integer	Yes	
task_number	integer	Yes	
task_definition_id	integer		

Field	Type	Req.	Description
task_type_name	string		
policy_id	string	Yes	
claim_id	string	Yes	
assignee_id	string	Yes	
status	string	Yes	
priority	string	Yes	
due_date	string (date-time)		
days_overdue	string		