BriteCore

Event Reference

55 events · version 2612.1

Generated 2026-11-25

Contents

Billing 4

BillingHandledEvent . . . 4

Claims 5

AuthorityLimitExceededEvent . . . 5

ClaimChangedEvent . . . 5

ClaimLossReportUpdatedEvent . . . 6

ClaimPartyAddedEvent . . . 6

ClaimServiceLifecycleEvent . . . 7

ClaimStatusChangedEvent . . . 7

ClaimStatusEvent . . . 8

ClaimSubmittedByAdminEvent . . . 9

ClaimSubmittedByAgentEvent . . . 9

ClaimSubmittedEvent . . . 10

DriverStatusChangedEvent . . . 10

File 12

FileAttachedEvent . . . 12

Payments 13

NSFPaymentEvent . . . 13

PaymentVoidedEvent . . . 13

ReturnedPremiumEvent . . . 14

Policies 15

ESignatureRequestSentEvent . . . 15

InvoiceCreatedEvent . . . 15

InvoiceDeletedEvent . . . 15

InvoiceUpdatedEvent . . . 16

NonPaySubmittedEvent . . . 16

PaymentFailedEvent . . . 17

PaymentMadeEvent . . . 18

PolicyActiveEvent . . . 18

PolicyBinderActiveEvent . . . 19

PolicyCancellationInitiatedEvent . . . 20

PolicyCancelledEvent . . . 20

PolicyChangeSubmittedEvent . . . 21
PolicyEndorsedEvent . . . 21
PolicyIssuedEvent . . . 22
PolicyReinstatedEvent . . . 23
PolicyRenewalApproachingEvent . . . 23
PolicyRenewedEvent . . . 24
PolicyRewriteStartEvent . . . 24
RevisionArchivedEvent . . . 25

Property 27

PropertyInspectionResponseEvent . . . 27

Quotes 28

ApplicationAttachmentUploadedEvent . . . 28
ApplicationSubmittedEvent . . . 28
QuoteCreatedEvent . . . 29
QuoteDownpayedEvent . . . 29
QuoteRatedEvent . . . 29
QuoteSubmittedBoundEvent . . . 30
QuoteSubmittedForUwReviewEvent . . . 30
QuoteSubmittedUnboundEvent . . . 31
QuoteTurnedIntoApplicationEvent . . . 32
ReferredToUnderwritingEvent . . . 32
STPAnalysisExecutedEvent . . . 32
StpResultGeneratedEvent . . . 33

Subjectivities 34

SubjectivityCreatedEvent . . . 34
SubjectivityExpiredEvent . . . 34
SubjectivityUpdatedEvent . . . 35

Task 37

TaskAssigneeChangedEvent . . . 37
TaskCompletedEvent . . . 37
TaskCreatedEvent . . . 38
TaskDueDatePassedEvent . . . 39

Billing

1 event emitted from the **billing** domain.

BillingHandledEvent

Adapter that wraps a BillingEvent DTO and routes it through the event emitter framework. Cross-term events emitted by billing state-machine handlers are published via ``BillingHandledEvent(pending_event).emit()`` so they can be processed asynchronously through Celery when available.

Topic	Schema ID	Version
`billing.billing_handled`	`BritecoreBillingEvent.v1`	`1.0.0`

Field	Type	Req.	Description
`event_id`	string (uuid)	Yes	Unique identifier for this event instance.
`event_date`	string (date-time)	Yes	Timestamp the event was emitted (UTC).
`schema_id`	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreBillingEvent.v1".
`version`	string, const	Yes	Schema version. Always "1.0.0".
`topic`	string	Yes	Topic the event was published on.
`triggering_user`	object		User that triggered the event.
`  id`	string		
`  external_system_reference`	string		
`data`	object	Yes	

Claims

11 events emitted from the **claims** domain.

AuthorityLimitExceededEvent

Event triggered when a payment or reserve exceeds authority limits.

Topic	Schema ID	Version
`claims.authority_limit_exceeded`	`BritecoreAuthorityLimitExceeded.v1`	`1.0.0`

Field	Type	Req.	Description
`event_id`	string (uuid)	Yes	Unique identifier for this event instance.
`event_date`	string (date-time)	Yes	Timestamp the event was emitted (UTC).
`schema_id`	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreAuthorityLimitExceeded.v1".
`version`	string, const	Yes	Schema version. Always "1.0.0".
`topic`	string	Yes	Topic the event was published on.
`triggering_user`	object		User that triggered the event.
`id`	string		
`external_system_reference`	string		
`data`	object	Yes	
`claim_id`	string	Yes	
`exposure_id`	string	Yes	
`broken_limits`	string	Yes	
`admin_data`	string	Yes	
`transaction_type`	string	Yes	
`transaction_details`	string	Yes	
`user_id`	string	Yes	

ClaimChangedEvent

Event emitted by BriteCore (BritecoreClaimChanged.v1).

Topic	Schema ID	Version
`claims.claim_changed`	`BritecoreClaimChanged.v1`	`1.0.0`

Field	Type	Req.	Description
`event_id`	string (uuid)	Yes	Unique identifier for this event instance.
`event_date`	string (date-time)	Yes	Timestamp the event was emitted (UTC).
`schema_id`	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreClaimChanged.v1".
`version`	string, const	Yes	Schema version. Always "1.0.0".
`topic`	string	Yes	Topic the event was published on.
`triggering_user`	object		User that triggered the event.
`id`	string		
`external_system_reference`	string		

Field	Type	Req.	Description
data	object	Yes	
claim_id	string	Yes	
field_name	string	Yes	
old_value	string	Yes	

ClaimLossReportUpdatedEvent

Fires when a loss report or a photo is uploaded to a claim or deleted from it. This is the event of the "Loss Report/Photos Uploaded or Deleted" admin alert. It fires where that alert is sent, also when the alert's email list is empty. ``action`` is "uploaded" or "deleted", and ``file_kind`` is "document" or "photo". A photo upload fires one time for each upload, with the first photo in ``file_id`` and ``file_title``. ``revision_id`` is the claim's revision, which the alert routes by (policy type and state).

Topic	Schema ID	Version
claims.claim_loss_report_updated	BritecoreClaimLossReportUpdated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreClaimLossReportUpdated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
claim_id	integer	Yes	
claim_number	string	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
action	string	Yes	
file_kind	string	Yes	
file_id	string	Yes	
file_title	string	Yes	

ClaimPartyAddedEvent

Event emitted by BriteCore (BritecoreClaimPartyAdded.v1).

Topic	Schema ID	Version
claims.claim_party_added	BritecoreClaimPartyAdded.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).

Field	Type	Req.	Description
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreClaimPartyAdded.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
claim_id	string	Yes	
claim_number	string	Yes	
contact_id	string	Yes	
role	string	Yes	
party_type	string	Yes	

ClaimServiceLifecycleEvent

Domain event for the claims "Services" abstraction (BC-24318). Published on meaningful ClaimService transitions. One class, with the transition folded into the topic (`claims.claim_service_<transition>`). It is registered in the Workflows catalog (`service.workflow_catalogs`, "Claim Service Update"), so a workflow can use it as a trigger and create claim tasks or alerts per carrier config -- the producer never creates tasks itself (the pattern PM endorsed on BC-22871). Every transition is the same event class, so a workflow must put a Gateway on the `transition` field (options come from `TRANSITIONS`), or it fires on every transition the producer emits. The Gateway can also match `status`, `vendor_stage`, `reserve_axis` and `reserved_amount`; the amount-change transition also exposes `previous_amount` and `new_amount` (2dp strings). Fields outside the catalog entry (e.g. `claim_item_id`) are not available to Gateway conditions. Like every HandledEvent, a successful emit also hands the payload to the Workflows engine (`HandledEvent._evaluate_workflows`). The synchronous internal handler (`handle_internal`) is a no-op, so no schema registry / celery lookup is needed for it.

Topic	Schema ID	Version
claims.claim_service_lifecycle	BritecoreClaimService.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreClaimService.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

ClaimStatusChangedEvent

Fires after a claim status save that changed the status. Every status route (the claim page, the API, staff FNOL and agent or insured submission) saves through ``claims.views.save_claim_status``, which emits this event once the change is committed. ``previous_status`` is None when the claim had no status yet. ``changed_via`` tells an agent or insured submission apart from any other status change. ``revision_id`` is the policy revision in force on the loss date.

Topic	Schema ID	Version
`claims.claim_status_changed`	`BritecoreClaimStatusChanged.v1`	`1.0.0`

Field	Type	Req.	Description
`event_id`	string (uuid)	Yes	Unique identifier for this event instance.
`event_date`	string (date-time)	Yes	Timestamp the event was emitted (UTC).
`schema_id`	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreClaimStatusChanged.v1".
`version`	string, const	Yes	Schema version. Always "1.0.0".
`topic`	string	Yes	Topic the event was published on.
`triggering_user`	object		User that triggered the event.
`id`	string		
`external_system_reference`	string		
`data`	object	Yes	
`claim_id`	integer	Yes	
`claim_number`	string	Yes	
`policy_id`	integer	Yes	
`revision_id`	string	Yes	
`previous_status`	string	Yes	
`status`	string	Yes	
`has_policy`	string	Yes	
`changed_via`	string	Yes	

ClaimStatusEvent

Event emitted by BriteCore (BritecoreClaimSubmitted.v1).

Topic	Schema ID	Version
`claims.claim_status`	`BritecoreClaimSubmitted.v1`	`1.0.0`

Field	Type	Req.	Description
`event_id`	string (uuid)	Yes	Unique identifier for this event instance.
`event_date`	string (date-time)	Yes	Timestamp the event was emitted (UTC).
`schema_id`	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreClaimSubmitted.v1".
`version`	string, const	Yes	Schema version. Always "1.0.0".
`topic`	string	Yes	Topic the event was published on.
`triggering_user`	object		User that triggered the event.
`id`	string		
`external_system_reference`	string		
`data`	object	Yes	

ClaimSubmittedByAdminEvent

Fires when an admin user saves the first status of a new claim. This is the event of the "Claim Submitted" admin alert. It fires where that alert is sent, also when the alert's email list is empty. It does not fire for agent users, which have the "Agent Claim Submitted" alert, or for a Historical status. ``status`` is the first status of the claim. ``revision_id`` is the policy revision in force on the loss date, which the alert routes by (policy type and state).

Topic	Schema ID	Version
`claims.claim_submitted_by_admin`	`BritecoreClaimSubmittedByAdmin.v1`	`1.0.0`

Field	Type	Req.	Description
`event_id`	string (uuid)	Yes	Unique identifier for this event instance.
`event_date`	string (date-time)	Yes	Timestamp the event was emitted (UTC).
`schema_id`	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreClaimSubmittedByAdmin.v1".
`version`	string, const	Yes	Schema version. Always "1.0.0".
`topic`	string	Yes	Topic the event was published on.
`triggering_user`	object		User that triggered the event.
`id`	string		
`external_system_reference`	string		
`data`	object	Yes	
`claim_id`	integer	Yes	
`claim_number`	string	Yes	
`policy_id`	integer	Yes	
`revision_id`	string	Yes	
`status`	string	Yes	

ClaimSubmittedByAgentEvent

Fires when an agent submits a claim. This is the event of the "Agent Claim Submitted" admin alert. It fires where that alert is sent, also when the alert's email list is empty. It fires after ``ClaimSubmittedEvent``, which the same submission also emits. ``revision_id`` is the policy revision in force on the loss date, which the alert routes by (policy type and state).

Topic	Schema ID	Version
`claims.claim_submitted_by_agent`	`BritecoreClaimSubmittedByAgent.v1`	`1.0.0`

Field	Type	Req.	Description
`event_id`	string (uuid)	Yes	Unique identifier for this event instance.
`event_date`	string (date-time)	Yes	Timestamp the event was emitted (UTC).
`schema_id`	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreClaimSubmittedByAgent.v1".
`version`	string, const	Yes	Schema version. Always "1.0.0".
`topic`	string	Yes	Topic the event was published on.
`triggering_user`	object		User that triggered the event.
`id`	string		
`external_system_reference`	string		

Field	Type	Req.	Description
`data`	object	Yes	
`claim_id`	integer	Yes	
`claim_number`	string	Yes	
`policy_id`	integer	Yes	
`revision_id`	string	Yes	
`status`	string	Yes	

ClaimSubmittedEvent

Event emitted by BriteCore (BritecoreClaimSubmitted.v1).

Topic	Schema ID	Version
`claims.claim_submitted`	`BritecoreClaimSubmitted.v1`	`1.0.0`

Field	Type	Req.	Description
`event_id`	string (uuid)	Yes	Unique identifier for this event instance.
`event_date`	string (date-time)	Yes	Timestamp the event was emitted (UTC).
`schema_id`	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreClaimSubmitted.v1".
`version`	string, const	Yes	Schema version. Always "1.0.0".
`topic`	string	Yes	Topic the event was published on.
`triggering_user`	object		User that triggered the event.
`id`	string		
`external_system_reference`	string		
`data`	object	Yes	

DriverStatusChangedEvent

Fires after a submitted claim's save records, changes or removes a driver's status on it. One event per driver whose status changed (``ClaimDriverService.raise_status_changes``). It carries ids only, never the driver's name: the payload is logged, sent to the integration point and passed to the workflow walk. ``policy_id`` is the policy the status was taken from (the previous one for a status a policy change removed). ``vehicle_ids`` are the first-party vehicles the driver drives after the save, or for a removal the ones they drove before it. A driver recorded without a last name has no contact: ``unnamed_driver_vehicle_id`` names the claim vehicle their details are on.

Topic	Schema ID	Version
`claims.driver_status_changed`	`BritecoreDriverStatusChanged.v1`	`1.0.0`

Field	Type	Req.	Description
`event_id`	string (uuid)	Yes	Unique identifier for this event instance.
`event_date`	string (date-time)	Yes	Timestamp the event was emitted (UTC).
`schema_id`	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreDriverStatusChanged.v1".
`version`	string, const	Yes	Schema version. Always "1.0.0".
`topic`	string	Yes	Topic the event was published on.
`triggering_user`	object		User that triggered the event.

Field	Type	Req.	Description
id	string		
external_system_reference	string		
data	object	Yes	
claim_id	string	Yes	
claim_number	string	Yes	
policy_id	string		
contact_id	string	Yes	
unnamed_driver_vehicle_id	string	Yes	
vehicle_ids	string	Yes	
old_status	string	Yes	
new_status	string	Yes	

File

1 event emitted from the **file** domain.

FileAttachedEvent

Event emitted by BriteCore (BritecoreFileAttached.v1).

Topic	Schema ID	Version
`file.file_attached`	`BritecoreFileAttached.v1`	`1.0.0`

Field	Type	Req.	Description
`event_id`	string (uuid)	Yes	Unique identifier for this event instance.
`event_date`	string (date-time)	Yes	Timestamp the event was emitted (UTC).
`schema_id`	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreFileAttached.v1".
`version`	string, const	Yes	Schema version. Always "1.0.0".
`topic`	string	Yes	Topic the event was published on.
`triggering_user`	object		User that triggered the event.
`id`	string		
`external_system_reference`	string		
`data`	object	Yes	

Payments

3 events emitted from the **payments** domain.

NSFPaymentEvent

Event emitted by BriteCore (BritecoreNSFPayment.v1).

Topic	Schema ID	Version
payments.n_s_f_payment	BritecoreNSFPayment.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreNSFPayment.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
payment_id	integer	Yes	
payment_date	string (date-time)	Yes	
vendor_reference_id	integer	Yes	
payment_confirmation_number	string	Yes	
payment_status	string	Yes	
contact_id	integer		
contact_external_system_reference	string		
revision_external_system_reference	string		

PaymentVoidedEvent

Event emitted by BriteCore (BritecorePaymentVoided.v1).

Topic	Schema ID	Version
payments.payment_voided	BritecorePaymentVoided.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePaymentVoided.v1".
version	string, const	Yes	Schema version. Always "1.0.0".

Field	Type	Req.	Description
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
generated_by	string	Yes	
payment_id	integer	Yes	
payment_date	string (date-time)	Yes	
description	string	Yes	
date_voided	string (date-time)	Yes	

ReturnedPremiumEvent

Event emitted by BriteCore (BritecoreReturnedPremium.v1).

Topic	Schema ID	Version
payments.returned_premium	BritecoreReturnedPremium.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreReturnedPremium.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
return_premium_id	integer	Yes	
generated_by	string	Yes	
payment_amount	string	Yes	
transaction_date_time	string (date-time)	Yes	
description	string	Yes	
cancellation_date	string (date-time)		
check_divert	string	Yes	
product_description	string	Yes	

Policies

19 events emitted from the **policies** domain.

ESignatureRequestSentEvent

Event emitted by BriteCore (BritecoreESignatureRequestSent.v1).

Topic	Schema ID	Version
`policies.e_signature_request_sent`	`BritecoreESignatureRequestSent.v1`	`1.0.0`

Field	Type	Req.	Description
`event_id`	string (uuid)	Yes	Unique identifier for this event instance.
`event_date`	string (date-time)	Yes	Timestamp the event was emitted (UTC).
`schema_id`	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreESignatureRequestSent.v1".
`version`	string, const	Yes	Schema version. Always "1.0.0".
`topic`	string	Yes	Topic the event was published on.
`triggering_user`	object		User that triggered the event.
`id`	string		
`external_system_reference`	string		
`data`	object	Yes	

InvoiceCreatedEvent

Event emitted by BriteCore (BritecoreInvoiceCreated.v1).

Topic	Schema ID	Version
`policies.invoice_created`	`BritecoreInvoiceCreated.v1`	`1.0.0`

Field	Type	Req.	Description
`event_id`	string (uuid)	Yes	Unique identifier for this event instance.
`event_date`	string (date-time)	Yes	Timestamp the event was emitted (UTC).
`schema_id`	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreInvoiceCreated.v1".
`version`	string, const	Yes	Schema version. Always "1.0.0".
`topic`	string	Yes	Topic the event was published on.
`triggering_user`	object		User that triggered the event.
`id`	string		
`external_system_reference`	string		
`data`	object	Yes	

InvoiceDeletedEvent

Event emitted by BriteCore (BritecoreInvoiceDeleted.v1).

Topic	Schema ID	Version
`policies.invoice_deleted`	`BritecoreInvoiceDeleted.v1`	`1.0.0`

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreInvoiceDeleted.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

InvoiceUpdatedEvent

Event emitted by BriteCore (BritecoreInvoiceUpdated.v1).

Topic	Schema ID	Version
policies.invoice_updated	BritecoreInvoiceUpdated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreInvoiceUpdated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

NonPaySubmittedEvent

Event emitted by BriteCore (BritecoreNonPaySubmitted.v1).

Topic	Schema ID	Version
policies.non_pay_submitted	BritecoreNonPaySubmitted.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreNonPaySubmitted.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.

Field	Type	Req.	Description
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_start_date	string (date-time)		
policy_term_end_date	string (date-time)		
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
submission_date	string (date-time)	Yes	

PaymentFailedEvent

Event emitted by BriteCore (BritecorePaymentFailed.v1).

Topic	Schema ID	Version
policies.payment_failed	BritecorePaymentFailed.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePaymentFailed.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
policy_number	string	Yes	
payment_id	integer	Yes	
payment_amount	string		
payment_date	string (date-time)	Yes	
failure_reason	string	Yes	
vendor_reference_id	integer	Yes	
payment_confirmation_number	string	Yes	
payment_status	string	Yes	
contact_id	integer		
contact_external_system_reference	string		

Field	Type	Req.	Description
revision_external_system_reference	string		
invoices_changed	string	Yes	

PaymentMadeEvent

Event emitted by BriteCore (BritecorePaymentMade.v1).

Topic	Schema ID	Version
policies.payment_made	BritecorePaymentMade.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePaymentMade.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
policy_number	string	Yes	
payment_id	integer	Yes	
invoices_changed	string	Yes	
payment_date	string (date-time)	Yes	
vendor_reference_id	integer	Yes	
payment_confirmation_number	string	Yes	
payment_status	string	Yes	
contact_id	integer		
contact_external_system_reference	string		
revision_external_system_reference	string		

PolicyActiveEvent

Event emitted by BriteCore (BritecorePolicyActive.v1).

Topic	Schema ID	Version
policies.policy_active	BritecorePolicyActive.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).

Field	Type	Req.	Description
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyActive.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_start_date	string (date-time)		
policy_term_end_date	string (date-time)		
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
creation_date	string (date-time)	Yes	

PolicyBinderActiveEvent

Event emitted by BriteCore (BritecorePolicyBinderActive.v1).

Topic	Schema ID	Version
policies.policy_binder_active	BritecorePolicyBinderActive.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyBinderActive.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
creation_date	string (date-time)	Yes	

Field	Type	Req.	Description
effective_date	string (date-time)	Yes	

PolicyCancellationInitiatedEvent

Event emitted by BriteCore (BritecorePolicyCancellationInitiated.v1).

Topic	Schema ID	Version
policies.policy_cancellation_initiated	BritecorePolicyCancellationInitiated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyCancellationInitiated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_start_date	string (date-time)		
policy_term_end_date	string (date-time)		
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
cancellation_date	string (date-time)	Yes	
cancellation_reason	string	Yes	

PolicyCancelledEvent

Event emitted by BriteCore (BritecorePolicyCancelled.v1).

Topic	Schema ID	Version
policies.policy_cancelled	BritecorePolicyCancelled.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyCancelled.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.

Field	Type	Req.	Description
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_start_date	string (date-time)		
policy_term_end_date	string (date-time)		
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
cancellation_date	string (date-time)	Yes	
cancellation_reason	string	Yes	

PolicyChangeSubmittedEvent

Fires when an agent submits a policy change that waits for review. This is the event of the "Policy Change submitted" admin alert. It fires where that alert is sent, also when the alert's email list is empty. ``revision_id`` is the revision of the change, which the alert routes by (policy type and state). ``effective_date`` is the date the change starts.

Topic	Schema ID	Version
policies.policy_change_submitted	BritecorePolicyChangeSubmitted.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyChangeSubmitted.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
quote_external_system_reference	string	Yes	
effective_date	string (date-time)		

PolicyEndorsedEvent

Event emitted by BriteCore (BritecorePolicyEndorsed.v1).

Topic	Schema ID	Version
policies.policy_endorsed	BritecorePolicyEndorsed.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyEndorsed.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
premium_bearing	string	Yes	
written_premium_change	string	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_start_date	string (date-time)		
policy_term_end_date	string (date-time)		
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
endorsement_date	string (date-time)	Yes	
effective_date	string (date-time)	Yes	

PolicyIssuedEvent

Event emitted by BriteCore (BritecorePolicyIssued.v1).

Topic	Schema ID	Version
policies.policy_issued	BritecorePolicyIssued.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyIssued.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		

Field	Type	Req.	Description
data	object	Yes	

PolicyReinstatedEvent

Event emitted by BriteCore (BritecorePolicyReinstated.v1).

Topic	Schema ID	Version
policies.policy_reinstated	BritecorePolicyReinstated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyReinstated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_start_date	string (date-time)		
policy_term_end_date	string (date-time)		
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
reinstatement_date	string (date-time)	Yes	

PolicyRenewalApproachingEvent

Event emitted by BriteCore (BritecorePolicyRenewalApproaching.v1).

Topic	Schema ID	Version
policies.policy_renewal_approaching	BritecorePolicyRenewalApproaching.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyRenewalApproaching.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.

Field	Type	Req.	Description
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_start_date	string (date-time)		
policy_term_end_date	string (date-time)		
policy_term_external_system_reference	string		
revision_external_system_reference	string	Yes	
days_to_expiration	string		

PolicyRenewedEvent

Event emitted by BriteCore (BritecorePolicyRenewed.v1).

Topic	Schema ID	Version
policies.policy_renewed	BritecorePolicyRenewed.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyRenewed.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_start_date	string (date-time)		
policy_term_end_date	string (date-time)		
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
renewal_date	string (date-time)	Yes	

PolicyRewriteStartEvent

Event emitted by BriteCore (BritecorePolicyRewriteStart.v1).

Topic	Schema ID	Version
policies.policy_rewrite_start	BritecorePolicyRewriteStart.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePolicyRewriteStart.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
old_policy_id	integer	Yes	
old_revision_id	integer	Yes	
old_policy_number	string	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_number	string	Yes	
policy_term_id	integer	Yes	
policy_term_start_date	string (date-time)		
policy_term_end_date	string (date-time)		
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
rewrite_date	string (date-time)	Yes	
effective_date	string (date-time)	Yes	

RevisionArchivedEvent

Event emitted by BriteCore (BritecoreRevisionArchived.v1).

Topic	Schema ID	Version
policies.revision_archived	BritecoreRevisionArchived.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreRevisionArchived.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.

Field	Type	Req.	Description
`id`	string		
`external_system_reference`	string		
`data`	object	Yes	

Property

1 event emitted from the **property** domain.

PropertyInspectionResponseEvent

Event emitted by BriteCore (BritecorePropertyInspectionResponse.v1).

Topic	Schema ID	Version
`property.property_inspection_response`	`BritecorePropertyInspectionResponse.v1`	`1.0.0`

Field	Type	Req.	Description
`event_id`	string (uuid)	Yes	Unique identifier for this event instance.
`event_date`	string (date-time)	Yes	Timestamp the event was emitted (UTC).
`schema_id`	string, const	Yes	Schema identifier. Stable per event type. Always "BritecorePropertyInspectionResponse.v1".
`version`	string, const	Yes	Schema version. Always "1.0.0".
`topic`	string	Yes	Topic the event was published on.
`triggering_user`	object		User that triggered the event.
`id`	string		
`external_system_reference`	string		
`data`	object	Yes	

Quotes

12 events emitted from the **quotes** domain.

ApplicationAttachmentUploadedEvent

Fires when an agent uploads attachments or photos to a submitted application. This is the event of the "Attachment(s) or Photo(s) Uploaded to Submitted Application" admin alert. It fires where that alert is sent, one time for each upload, also when the alert's email list is empty. ``revision_id`` is the submitted revision, which the alert routes by (policy type and state). ``file_kind`` is "document" or "photo", and ``file_id`` is the first file of the upload.

Topic	Schema ID	Version
`quotes.application_attachment_uploaded`	`BritecoreApplicationAttachmentUploaded.v1`	`1.0.0`

Field	Type	Req.	Description
`event_id`	string (uuid)	Yes	Unique identifier for this event instance.
`event_date`	string (date-time)	Yes	Timestamp the event was emitted (UTC).
`schema_id`	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreApplicationAttachmentUploaded.v1".
`version`	string, const	Yes	Schema version. Always "1.0.0".
`topic`	string	Yes	Topic the event was published on.
`triggering_user`	object		User that triggered the event.
`id`	string		
`external_system_reference`	string		
`data`	object	Yes	
`policy_id`	integer	Yes	
`revision_id`	integer	Yes	
`policy_term_id`	integer	Yes	
`quote_external_system_reference`	string	Yes	
`file_kind`	string	Yes	
`file_id`	string	Yes	

ApplicationSubmittedEvent

Event emitted by BriteCore (BritecoreApplicationSubmitted.v1).

Topic	Schema ID	Version
`quotes.application_submitted`	`BritecoreApplicationSubmitted.v1`	`1.0.0`

Field	Type	Req.	Description
`event_id`	string (uuid)	Yes	Unique identifier for this event instance.
`event_date`	string (date-time)	Yes	Timestamp the event was emitted (UTC).
`schema_id`	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreApplicationSubmitted.v1".
`version`	string, const	Yes	Schema version. Always "1.0.0".
`topic`	string	Yes	Topic the event was published on.

Field	Type	Req.	Description
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

QuoteCreatedEvent

Event emitted by BriteCore (BritecoreQuoteCreated.v1).

Topic	Schema ID	Version
quotes.quote_created	BritecoreQuoteCreated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreQuoteCreated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

QuoteDownpayedEvent

Event emitted by BriteCore (BritecoreQuoteDownpayed.v1).

Topic	Schema ID	Version
quotes.quote_downpayed	BritecoreQuoteDownpayed.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreQuoteDownpayed.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

QuoteRatedEvent

Event emitted by BriteCore (BritecoreQuoteRated.v1).

Topic	Schema ID	Version
quotes.quote_rated	BritecoreQuoteRated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreQuoteRated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

QuoteSubmittedBoundEvent

Fires when an agent submits a bound application that waits for review. This is the event of the "Application submitted (Bound)" admin alert. It fires where that alert is sent, also when the alert's email list is empty, together with ``QuoteSubmittedForUwReviewEvent``. ``revision_id`` is the revision the alert routes by (policy type and state).

Topic	Schema ID	Version
quotes.quote_submitted_bound	BritecoreQuoteSubmittedBound.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreQuoteSubmittedBound.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
quote_external_system_refer ence	string	Yes	

QuoteSubmittedForUwReviewEvent

Fires when an agent submits an application that waits for review. This is the event of the "Application submitted" admin alert. It fires where that alert is sent, also when the alert's email list is empty. ``revision_id`` is the revision the alert routes by (policy type and state). ``submit_bound`` is True when the agent submitted the application

bound.

Topic	Schema ID	Version
quotes.quote_submitted_for_uw_review	BritecoreQuoteSubmittedForUwReview.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreQuoteSubmittedForUwReview.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
quote_external_system_reference	string	Yes	
submit_bound	string	Yes	
unbound_option	string	Yes	

QuoteSubmittedUnboundEvent

Fires when an agent submits an unbound application that waits for review. This is the event of the "Application submitted (Unbound)" admin alert. It fires where that alert is sent, also when the alert's email list is empty, together with ``QuoteSubmittedForUwReviewEvent``. ``revision_id`` is the revision the alert routes by (policy type and state). ``unbound_option`` is the label of the unbound option the agent selected, if any.

Topic	Schema ID	Version
quotes.quote_submitted_unbound	BritecoreQuoteSubmittedUnbound.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreQuoteSubmittedUnbound.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	

Field	Type	Req.	Description
policy_term_id	integer	Yes	
quote_external_system_reference	string	Yes	
unbound_option	string	Yes	

QuoteTurnedIntoApplicationEvent

Event emitted by BriteCore (BritecoreQuoteTurnedIntoApplication.v1).

Topic	Schema ID	Version
quotes.quote_turned_into_application	BritecoreQuoteTurnedIntoApplication.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreQuoteTurnedIntoApplication.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

ReferredToUnderwritingEvent

Event emitted by BriteCore (BritecoreReferredToUnderwriting.v1).

Topic	Schema ID	Version
quotes.referred_to_underwriting	BritecoreReferredToUnderwriting.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreReferredToUnderwriting.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

STPAnalysisExecutedEvent

Event emitted by BriteCore (BritecoreSTPAnalysisExecuted.v1).

Topic	Schema ID	Version
quotes.s_t_p_analysis_executed	BritecoreSTPAnalysisExecuted.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreSTPAnalysisExecuted.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	

StpResultGeneratedEvent

Fires when a Straight Through Processing (STP) result is sent to underwriting. This is the event of the "Straight Through Processing results" admin alert. It fires at each point that sends that alert, also when the alert's email list is empty. ``result`` tells which point: * "issued": STP approved the submission and the policy was issued. * "referred": STP did not approve the submission, so it waits for an underwriter. * "renewal_referred": STP did not approve an automatic renewal, so the renewal stays open for an underwriter. * "review_requested": the agent requested an underwriter review. * "review_approved": the underwriter approved the review. * "review_declined": the underwriter declined the review. ``revision_id`` is the revision the alert routes by (policy type and state). ``stp_details`` is the list of STP rule results, when the point has one.

Topic	Schema ID	Version
quotes.stp_result_generated	BritecoreStpResultGenerated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreStpResultGenerated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
quote_external_system_reference	string	Yes	
result	string	Yes	
stp_details	string	Yes	

Subjectivities

3 events emitted from the **subjectivities** domain.

SubjectivityCreatedEvent

Event emitted by BriteCore (BritecoreSubjectivityCreated.v1).

Topic	Schema ID	Version
subjectivities.subjectivity_created	BritecoreSubjectivityCreated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreSubjectivityCreated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
subjectivity_id	integer	Yes	
subjectivity_definition_id	integer	Yes	
subjectivity_definition_name	string	Yes	
status	string	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
date_created	string (date-time)	Yes	

SubjectivityExpiredEvent

Event emitted by BriteCore (BritecoreSubjectivityExpired.v1).

Topic	Schema ID	Version
subjectivities.subjectivity_expired	BritecoreSubjectivityExpired.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreSubjectivityExpired.v1".

Field	Type	Req.	Description
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
subjectivity_id	integer	Yes	
subjectivity_definition_id	integer	Yes	
subjectivity_definition_name	string	Yes	
status	string	Yes	
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
date_created	string (date-time)	Yes	
date_updated	string (date-time)	Yes	
due_date	string (date-time)	Yes	

SubjectivityUpdatedEvent

Event emitted by BriteCore (BritecoreSubjectivityUpdated.v1).

Topic	Schema ID	Version
subjectivities.subjectivity_updated	BritecoreSubjectivityUpdated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreSubjectivityUpdated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
subjectivity_id	integer	Yes	
subjectivity_definition_id	integer	Yes	
subjectivity_definition_name	string	Yes	
status	string	Yes	

Field	Type	Req.	Description
policy_id	integer	Yes	
revision_id	integer	Yes	
policy_term_id	integer	Yes	
policy_term_external_system_reference	string	Yes	
revision_external_system_reference	string	Yes	
date_updated	string (date-time)	Yes	

Task

4 events emitted from the **task** domain.

TaskAssigneeChangedEvent

Event emitted when a task's assignee is changed. This allows external systems to react to assignee changes.

Topic	Schema ID	Version
`task.task_assignee_changed`	`BritecoreTaskAssigneeChanged.v1`	`1.0.0`

Field	Type	Req.	Description
`event_id`	string (uuid)	Yes	Unique identifier for this event instance.
`event_date`	string (date-time)	Yes	Timestamp the event was emitted (UTC).
`schema_id`	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreTaskAssigneeChanged.v1".
`version`	string, const	Yes	Schema version. Always "1.0.0".
`topic`	string	Yes	Topic the event was published on.
`triggering_user`	object		User that triggered the event.
`id`	string		
`external_system_reference`	string		
`data`	object	Yes	
`task_id`	integer	Yes	
`task_number`	integer	Yes	
`task_type_id`	integer		
`task_type_name`	string		
`status`	string	Yes	
`priority`	string	Yes	
`description`	string	Yes	
`claim_id`	integer		
`policy_id`	integer		
`old_assignee_id`	integer		
`old_assignee_name`	string		
`old_assignee_email`	string	Yes	
`new_assignee_id`	integer		
`new_assignee_name`	string		
`new_assignee_email`	string	Yes	

TaskCompletedEvent

Event emitted by BriteCore (BritecoreTaskCompleted.v1).

Topic	Schema ID	Version
`task.task_completed`	`BritecoreTaskCompleted.v1`	`1.0.0`

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreTaskCompleted.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
completed_by_id	string	Yes	
task_id	integer	Yes	
task_number	integer	Yes	
task_type_id	integer	Yes	
task_type_name	string	Yes	
task_definition_id	integer	Yes	
policy_id	integer		
status	string	Yes	
priority	string	Yes	
description	string	Yes	
claim_id	integer		
claim_number	string		
assignee_id	integer		
assignee_name	string		
added_by_id	integer		
added_by_name	string		
date_added	string (date-time)	Yes	
due_date	string (date-time)		
completion_date	string (date-time)	Yes	
orkes_task_id	string	Yes	
task_outcome_id	integer		
task_outcome_key	string		
task_outcome_name	string		

TaskCreatedEvent

Event emitted by BriteCore (BritecoreTaskCreated.v1).

Topic	Schema ID	Version
task.task_created	BritecoreTaskCreated.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.

Field	Type	Req.	Description
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreTaskCreated.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
task_id	integer	Yes	
task_number	integer	Yes	
task_definition_id	integer		
task_type_name	string		
policy_id	integer		
claim_id	integer		
assignee_id	integer		
added_by_id	integer		
status	string	Yes	
priority	string	Yes	
description	string	Yes	
due_date	string (date-time)		
date_added	string (date-time)	Yes	

TaskDueDatePassedEvent

Event emitted by BriteCore (BritecoreTaskDueDatePassed.v1).

Topic	Schema ID	Version
task.task_due_date_passed	BritecoreTaskDueDatePassed.v1	1.0.0

Field	Type	Req.	Description
event_id	string (uuid)	Yes	Unique identifier for this event instance.
event_date	string (date-time)	Yes	Timestamp the event was emitted (UTC).
schema_id	string, const	Yes	Schema identifier. Stable per event type. Always "BritecoreTaskDueDatePassed.v1".
version	string, const	Yes	Schema version. Always "1.0.0".
topic	string	Yes	Topic the event was published on.
triggering_user	object		User that triggered the event.
id	string		
external_system_reference	string		
data	object	Yes	
task_id	integer	Yes	
task_number	integer	Yes	
task_definition_id	integer		

Field	Type	Req.	Description
`task_type_name`	string		
`policy_id`	string	Yes	
`claim_id`	string	Yes	
`assignee_id`	string	Yes	
`status`	string	Yes	
`priority`	string	Yes	
`due_date`	string (date-time)		
`days_overdue`	string		